

#### Series 8, built-in oven, 60 x 60 cm, Stainless steel HBG655BS1M









#### **Included accessories**

2 x combination grid 1 x universal pan

## The built-in oven: you get perfect baking and roasting results.

- 4D Hotair: even heat distribution for perfect results on any level.
- AutoPilot 10: every dish is a perfect success thanks to 10 preset automatic programmes.
- TFT display control: easy-to-use thanks to the control ring with full text and symbols.
- EcoClean Direct: almost no cleaning is necessary thanks to a special coating of the rear- and side wall and the roof that automatically absorbs grime and regeneration program.
- Flap door with SoftOpen and SoftClose: the oven door opens and closes especially gently and quietly.

#### **Technical Data**

Gross weight: 37.8 kg

Color / Material Front : Stainless steel Built-in / Free-standing : Built-in

Integrated Cleaning system : Catalytic all sides, Hydrolytic Required niche size for installation (HxWxD) : 585-595 x 560-568

x 550 mm

Dimensions: 595 x 594 x 548 mm

Dimensions of the packed product (HxWxD): 670 x 680 x 670

mm

Control Panel Material: Stainless steel

Door Material : Glass Net weight : 35.4 kg

Usable volume of cavity: 71 l

Cooking method:, 4D hot air, Bottom heat, Defrost setting, Full width grill, Half width grill, Hot Air-Eco, hot air grilling, low temperature cooking, Pizza setting, pre-heating, Top/bottom

heat, warming

Number of interior lights: 1

Length electrical supply cord: 120 cm

Interior Lights - cavity 1 : 1
Pull-out system : Accessory
Clock function : Alarm, Off, On

Included accessories: 2 x combination grid, 1 x universal pan

Broil Element Wattages cavity 1 : 2800 W Convection Element Wattages cavity 1 : 2200 W

Energy efficiency rating: A+

Energy consumption per cycle conventional (2010/30/EC) : 0.87

kWh/cvcle

Energy consumption per cycle forced air convection (2010/30/

EC): 0.69 kWh/cycle

Energy efficiency index (2010/30/EC) : 81.2 %

Connection Rating: 3600 W Fuse protection: 16 A Voltage: 220-240 V Frequency: 50; 60 Hz Plug type: no plug

Color / Material Front : Stainless steel

Energy input : Electric

Required cutout/niche size for installation (in) : x x Dimensions of the packed product :  $26.37 \times 26.37 \times 26.77$ 

Net weight: 78.000 lbs Gross weight: 83.000 lbs

Length electrical supply cord: 120 cm

Net weight: 35.4 kg

Included accessories: 2 x combination grid, 1 x universal pan





### Series 8, built-in oven, 60 x 60 cm, Stainless steel HBG655BS1M

## The built-in oven: you get perfect baking and roasting results.

#### Type of oven / heating system:

- Oven with 13heating methods:
   4D hot air, Hot Air-Eco, Top/bottom heat, Conventional heat
   ECO, hot air grilling, Full width grill, Half width grill, Pizza
   setting, Bottom heat, low temperature cooking, Defrost
   setting, Plate warming setting, Hold warm
- Temperature range 30 °C 300 °C
- Cavity volume: 71 l

#### Design:

- Rotary swivel
- Cavity inner surface: enamel anthracite

#### Cleaning:

- Ecolyse features: ceiling, back panel, side liners
- Full glass inner door

#### Comfort:

- autom. temperature proposal actual temperature display heating-up control automatic programming Sabbath function
- Drop down door, soft closing, soft opening
- Supporting systems: Programs
- Number of automatic programmes: 10 PC
- Electronic clock
- Rapid heating-up
- Halogen interior lighting, Switch for oven illumination
- Integral cooling fan
- Stainless-steel fan
- Info button
- Bar handle

#### Hook-in racks / rails

- Cavity with shelf support rails, Telescopic slide-out Accessory

#### Accessory:

- 2 x combination grid, 1 x universal pan

#### **Environment and Safety:**


- Energy efficiency rating (acc. EU Nr. 65/2014):
   Energy consumption per cycle in conventional mode:0.87 kWh
   Energy consumption per cycle in fan-forced convection mode:0.69 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71
- Maximum window temperature 40° C
- Child lock
   Safety switch Residual heat indicator start button door contact switch

#### **Technical Info:**


- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"



# Series 8, built-in oven, 60 x 60 cm, Stainless steel HBG655BS1M



measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

